

Ecostat S
Thermostatic Trim with Volume Control and Diverter
 Finishes : **brushed nickel** Part no. : **15758821**




Description

Features

- Volume control and diverter for 2 outlets
- Flow: 6.0 GPM (22.7 L/Min)
- Thermostatic cartridge, Shut-off/ diverter valve
- Anti-scald 100° safety stop
- Optimized for water-efficient shower products

Item details


Compliance



Product image



Scale drawing



Ecostat S


Thermostatic Trim with Volume Control and Diverter

Finishes : **brushed nickel** Part no. : **15758821**



Exploded drawing

Year of production: >07/20



Ecostat S

Thermostatic Trim with Volume Control and Diverter

Finishes : **brushed nickel** Part no. : **15758821**



Spare parts list

Year of production: >07/20

| Pos. | Description | Part no. | Price | PU |
|------|---|----------|-------|----|
| 1 | handle fixing set | 95843000 | - | 1 |
| 2 | hollow set screw M4x5 | 92846000 | - | 1 |
| 3 | adapter for handle | 95252000 | - | 1 |
| 4 | O-ring 44x4 | 98471000 | - | 1 |
| 5 | O-ring 30x5 | 98153000 | - | 1 |
| 6 | sleeve | 92216820 | - | 1 |
| 7 | sleeve | 95253820 | - | 1 |
| 8 | holder for escutcheon | 98793000 | - | 1 |
| 9 | set of fixing screws | 96454000 | - | 1 |
| 10 | nut | 98913000 | - | 1 |
| 11 | thermostat cartridge | 98282000 | - | 1 |
| 12 | O-ring 25x2,5 | 92146000 | - | 1 |
| 13 | O-ring 25x1,5 | 98146000 | - | 1 |
| 14 | O-ring 20x1,5 | 98197000 | - | 1 |
| 15 | nut | 95255000 | - | 1 |
| 16 | shut off unit with selector | 98283000 | - | 1 |
| 17 | O-ring 36x2 | 98156000 | - | 1 |
| 18 | set of screws | 96525000 | - | 1 |
| 19 | O-ring 16x2 | 98133000 | - | 1 |
| 20 | noise reduction | 94073000 | - | 1 |
| 21 | non return valve (pressure-resistant up to 2 MPa) | 92594000 | - | 1 |
| 22 | set of non return valves DW 15 | 97350000 | - | 1 |
| 23 | escutcheon Ø 150 mm | 92283821 | - | 1 |
| a | extension 22 mm (Ø 150 mm) | 13597820 | - | 1 |
| b | compensation set 1° | 95521000 | - | 1 |
| c | extension 25 mm | 13595000 | - | 1 |